



Name of Department: CEDD

Monthly Summary Waste Flow Table for 2023 (KT)

Month	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	a.Total Quantity Generated (a=c+d+e)	b. Hard Rock and Large Broken Concrete	c. Reused in the Contract	d. Reused in Other Projects	e. Disposed as Public Fill	f. Imported Fill	g. Metals	h. Paper / Cardboard Packaging	i. Plastics	j. Chemical Waste	k. Others, e.g. general refuse
	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000m ³)
January	46.616	0.290	0.000	45.647	0.968	0.000	0.000	0.460	0.000	0.000	0.047
February	48.830	0.232	0.000	48.279	0.550	0.000	0.000	0.640	0.000	0.000	0.063
March	66.163	0.251	0.000	64.838	1.325	0.000	0.000	0.240	0.000	0.000	0.093
April	54.693	0.000	0.000	54.368	0.325	0.000	0.000	0.000	0.000	0.000	0.052
May	11.520	0.005	0.000	10.490	1.030	0.000	0.000	0.640	0.000	0.000	0.115
June	7.026	0.000	0.000	6.514	0.512	0.000	0.000	0.000	0.000	0.000	0.106
Sub-total	234.846	0.778	0.000	230.136	4.710	0.000	0.000	1.980	0.000	0.000	0.476
July	4.802	0.024	0.000	4.680	0.122	0.000	0.000	0.000	0.000	0.000	0.073
August	0.304	0.000	0.000	0.304	0.000	0.000	0.000	0.000	0.000	0.000	0.097
September											
October											
November											
December											
Total	239.952	0.803	0.000	235.120	4.832	0.000	0.000	1.980	0.000	0.000	0.646

Monthly Summary Waste Flow Table

Notes:

- (1)The performance targets are given in ER Appendix 8I Clause 14 and the EM&A Manual(s).
- (2)The waste flow table shall also include C&D materials to be imported for use at the Site.
- (3)Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.
- (4)The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³. (ER Part 8 Clause 8.8.5 (d) (ii) refers).