

## Appendix G - Noise Monitoring Results

(0700-1900 hrs on Normal Weekdays)

Location CM1 - Nga Lai House, Yau Lai Estate Phase 1, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
8 Sep 2022	9:00	Sunny	72.6	75.4	70.8	65.5	72
14 Sep 2022	10:53	Sunny	69.8	72.6	66.6	65.5	68
20 Sep 2022	10:59	Drizzle	71.5	74.6	67.5	65.5	70
26 Sep 2022	11:40	Sunny	67.4	68.8	65.7	65.5	63




Location CM2 - Bik Lai House, Yau Lai Estate Phase 1, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
8 Sep 2022	10:00	Sunny	73.1	75.9	71.2	63.6	73
14 Sep 2022	11:39	Sunny	66.2	67.4	64.9	63.6	63
20 Sep 2022	11:40	Drizzle	67.8	69.3	66.1	63.6	66
26 Sep 2022	13:00	Sunny	72.5	74.7	69.3	63.6	72

Location CM3 - Block S, Yau Lai Estate Phase 5, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
8 Sep 2022	11:00	Sunny	72.4	75.2	70.6	65.6	71
14 Sep 2022	10:05	Sunny	67.8	69.5	65.9	65.6	64
20 Sep 2022	10:08	Cloudy	68.9	70.7	66.7	65.6	66
26 Sep 2022	10:50	Sunny	69.2	71.5	66.2	65.6	67

Location CM4 - Tin Hau Temple, Cha Kwo Ling							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
8 Sep 2022	14:00	Sunny	66.7	69.8	65.3	62.0	65
14 Sep 2022	15:57	Sunny	58.3	60.1	54.0	62.0	58 Measured ≤ Baseline
20 Sep 2022	14:00	Drizzle	55.6	57.1	51.9	62.0	56 Measured ≤ Baseline
26 Sep 2022	15:05	Sunny	58.1	60.2	54.7	62.0	58 Measured ≤ Baseline



Location CM5 - CCC Kei Faat Primary School, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
8 Sep 2022	13:00	Sunny	69.8	71.3	67.9	68.2	65
14 Sep 2022	9:14	Sunny	67.2	69.7	63.3	68.2	67 Measured ≤ Baseline
20 Sep 2022	9:15	Sunny	66.8	69.2	63.7	68.2	67 Measured ≤ Baseline
26 Sep 2022	10:02	Sunny	66.5	68.9	63.2	68.2	67 Measured ≤ Baseline

## Noise Levels



Title Contract No. ED/2018/04 Trunk Road T2 and Infrastructure Works for Developments at the Former South Apron  Graphical Presentation of Construction Noise Monitoring Results	Scale	Project	
	Date	Appendix	
	N.T.S	No. MA20003	
	Sep 22	G	

## Noise Levels



**Notes:**

- 1) The major activitie(s) being carried out on site during the reporting period is/are presented in Section 1.10
- 2) The weather conditions during the reporting month are presented in Appendix C.
- 3) Other factors which might affect the monitoring results are presented in Section 3.13.

Title Contract No. ED/2018/04 Trunk Road T2 and Infrastructure Works for Developments at the Former South Apron  Graphical Presentation of Construction Noise Monitoring Results	Scale	Project	CINOTECH
	N.T.S	No. MA20003	
	Date	Appendix	
	Sep 22	G	